



gkfn /fhkq

gkfn ; /sf/4f/f k\$flzt

cy{dGqfnosf]

; Rgf-I

gkfn ; /sf/n]cfly\$ Pq, @)^\$ sf]bkif @) n]lbPsf]clwsf/ kpfu u/L Tilganga Eye Centre Sf] nflu The Fred Hollow Foundation af6 pkxf/ :j?k kpfu ul/g] cd\sl 8n/ @&,*\$^=)) -; Qf0; xhf/ cf7 ; o 5ofnl; _ dNo a/fa/sf] cfwf pkrf/df kpfu xg] :jf:Yo ; fdulx? cfoft ubf{Ps kl|tzt eg; f/ dxzh c; h u/L afBl eg; f/ dxzh tyf dNo clej [4 s/ k/}5b lbg]lgof6 u/\$fh]of]; Rgf k\$fgz ul/Psf] 5 .

; Rgf-@

gkfn ; /sf/n]cfly\$ Pq, @)^\$ sf]bkif @) n]lbPsf]clwsf/ kpfu u/L gkfn Abo/fu lgj f/of kl|ti7fg, sf7df8f]nflu Nepalhilfe Kulmbach e.v., Germany af6 pkxf/ :j?k kpfu ul/g] o/f]!),)))=-) -b; xhf/ _ dNo a/fa/sf] Echo Machine cfoft ubf{Ps kl|tzt eg; f/ dxzh c; h u/L afBl eg; f/ dxzh tyf dNo clej [4 s/ k/}5b lbg]lgof6 u/\$fh]of]; Rgf k\$fgz ul/Psf] 5 .

; Rgf-#

gkfn ; /sf/n]cfly\$ Pq, @)^\$ sf]bkif @) n]lbPsf]clwsf/ kpfu u/L lrtjg /fli6@ lgs'-hsf] nflu Elephant Care International,USA af6 ; xofu :j?k kpfu ul/g] cd\sl 8n/ !,!!(=% -Ps xhf/ Ps ; o p6gf0; , ; 06 klRr; _ dNo a/fa/sf] Test Kite Elephant TBSTAT PAK ; fdfg cfoft ubf{Ps kl|tzt eg; f/ dxzh c; h u/L afBl eg; f/ dxzh tyf dNo clej [4 s/ nufot s/ zNs k/}5b lbg]lgof6 u/\$fh]of]; Rgf k\$fgz ul/Psf] 5 .

; Rgf-\$

gkfn ; /sf/n]cfly\$ Pq, @)^\$ sf]bkif @) n]lbPsf]clwsf/ kpfu u/L >L Jn' dg lj Bfno, ldqkfs\$]nflu ldq/fi6«0/fgaf6 pkxf/ :j?k kpfu ul/g] cd\sl 8n/ !)))=-) -Ps ; o_ dNo a/fa/sf] vjh ; fdulx? cfoft ubf{Ps kl|tzt eg; f/ dxzh c; h u/L afBl eg; f/ dxzh 5b lbg]lgof6 u/\$fh]of]; Rgf k\$fgz ul/Psf] 5 .

; Rgf-%

gkfn ; /sf/n]cfly\$ Pq, @)^\$ sf]bkrf @) n]lbPsf]clwsf/ kpfu u/L B.P.Koirala Memorial Cancer Hospital Sf]nflu Novartis Pharma AG, Switzerland af6 ; xofu :j?k kpfu ul/g] CHF %,!%,@))=)) -kF nfv kGw|xf/ b0{ ; o_ dNo a/fa/sf]Glivec cf]flwx? cfoft ubf{e; f/ dx; h tyf dNoclej [4 s/ k'}5b lbg] tyf China Government af6 ; xofu :j?k kpfu ul/g] cd]/sl 8n/ !&,\$*=&! -; q xhf/ gf}; o c8rfln; , ; 06 PsxQ/_ dNo a/fa/sf]cf]flw tyf IrIsT; f ; fdull cfoft ubf{Ps kl|tzt e; f/ dxzh c; h u/L afEl e; f/ dxzh tyf dNo clej [4 s/ k'}5b lbg]lgof6 u/\$fh]of]; Rgf k\$zfg ul/Psf] 5 .

; Rgf-^

gkfn ; /sf/n]cfly\$ Pq, @)^\$ sf]bkrf @) n]lbPsf]clwsf/ kpfu u/L ndhE lhNnf l:yt >l zpkql pRr dflolds lj Bfno, wldnls]fsf] nflu Berry Ring Farm Billington. Bank STAFFORD, England Sf]Co-Ordinator / pgsf ; fylx?af6 ; xofu :j?k kpfu ul/g]:6lnE kfp08 !!%\$=*\$ -Ps xhf/ Ps ; o rf]Gg ; 06 rf]f; _ dNo a/fa/sf] Art Meterials cfoft ubf{Ps kl|tzt e; f/ dxzh c; h u/L afEl e; f/ dxzh, dNo clej [4 s/ tyf :yfglo lj sf; zNs k'}5b lbg]lgof6 u/\$fh]of]; Rgf k\$zfg ul/Psf] 5 .

; Rgf-&

gkfn ; /sf/n]cfly\$ Pq, @)^\$ sf]bkrf @) n]lbPsf]clwsf/ kpfu u/L IrIsT; f lj 1fg /fli60 kl|ti7fg, jL/ c:ktfnsf]nflu Nipro Asia Pvt, Ltd., Japan af6 pkxf/ :j?k kpfu ul/g] cd]/sl 8n/ !))=)) -Ps xhf/ _ dNo a/fa/sf]Nipro Diaglosis Machine cfoft ubf{ tyf hfkfgl Pq !(,!&))=)) -p6gf0; nfv ; q xhf/_ dNo a/fa/sf]CT Scan Machine Sf]kf6{ / hfkfgl Pq &,%),))=)) -; ft nfv krf; xhf/_ dNo a/fa/sf]Ultrasound Machine Sf]kf6{ \ vl/b ubf{ Ps kl|tzt e; f/ dxzh c; h u/L afEl e; f/ dxzh tyf dNo clej [4 s/ k'}5b lbg]lgof6 u/\$fh]of]; Rgf k\$zfg ul/Psf] 5 .

cf1fn]

-kdf]sdf/ sfls{
; x-; lrj

gkfn ; /sf/
cy{dGqfnosf]
; Rgf

gkfn ; /sf/n]cGtMzNs Pj, @)%* sf]bkrf ^ n]lbPsf]clwsf/ kpf]u u/L j fbl gkfn
; /sf/, k|tj fbl cd|t axfb/ a:g|t, bf]hvf ePsf]cGtMzNs ; DaGwl sz lsgf/f ug|kpf]hgsf]
nflu cfGtl/s /fh:j sfof]no eQmk/nf0{cGtMzNs clws|sf]lfq]lwsf/ tf]s]fh]of]; Rgf ksfzg
ul/Psf] 5 .

cf]fn]

-kpf]sdf/ sfs|{
; x-; lrj

