



# gkfn /fhkq

gkfn ; /sf/4f/f k\$flzt

efu %

gkfn ; /sf/  
cy{dGqfnosf]  
; r'gf !

gkfn ; /sf/n]; fdlos s/ c; h Pq, @)!@ sf]bkrf # cGtu\$ hf/L cfbzsf]bkrf  
@@ n]lbPsf]clwsf/ kpfu u/L gkfn ; l6E ; 3sf]nflu Asian Shooting Confederation,  
Kuwait af6 ; xofu :j?k kbfu ul/g]o'f]@)@)=-) -b0{xhf/ al; \_ dNo a/fa/sf]Po/  
k]tfh \$-rf/\_ yfg cfoft ubf{Ps kl|tzt eg; f/ dxzh c; h u/L afBL eg; f/ dx; h  
tyf dNo clej [4 s/ k'}5b lbg]lg0f6 u/\$fh]of]; r'gf k\$fgz ul/Psf]5 .

; r'gf-@

gkfn ; /sf/n]; fdlos s/ c; h Pq, @)!@ sf]bkrf # cGtu\$ hf/L cfbzsf]bkrf  
@@ n]lbPsf]clwsf/ kpfu u/L United Mission to Nepal gfdsf]cGt/f[60 u}; /sf/L ; :yf  
af/f ; ~rflnt z]lfs sfqmsf]nflu Opportunity Education Foundation, USA  
af6 pkxf/ :j?k kbfu ul/g]cd\sl 8n/ !,^\$(-) -Ps xhf/ 5 ; o pgfGrf; \_ dNo  
a/fa/sf]z]lfs ; fdfu|x? cfoft ubf{Ps kl|tzt eg; f/ dxzh c; h u/L afBL eg; f/  
dx; h tyf dNo clej [4 s/ k'}5b lbg]lg0f6 u/\$fh]of]; r'gf k\$fgz ul/Psf]5 .

; r'gf-#

gkfn ; /sf/n]; fdlos s/ c; h Pj, @)!@ sf]bkrf # cgtuĤ hf/L cfbzsf]bkrf @@ n]lbPsf]clwsf/ kpfu u/L Tilganga Eye Centre sf]nflu **The Fred Hollows Foundation, Australia** af6 pkxf/ :j?k kpfu ul/g]cdl/sl 8n/ #\*,\$))=) - c8tL; xhf/ rf/ ; o\_ / o'f]!#,\$@-& -t|xhf/ tlg ; o aofn; , ; 06 ; txQ/\_ dNo a/fa/sf]cfwf pkrf/df kpfu xg]:j:f:Yo ; fdfu|x? cfoft ubf{Ps kl|tzt eĖ; f/ dxzh c; h u/L afĒL eĖ; f/ dx; h tyf dNo clej [4 s/ k'}5b lbg]lg0f0 u/{f]h]of]; Ĥgf k\$fgz ul/Psf]5 .

**; Ĥgf-\$**

gkfn ; /sf/n]; fdlos s/ c; h Pj, @)!@ sf]bkrf # cgtuĤ hf/L cfbzsf]bkrf @@ n]lbPsf]clwsf/ kpfu u/L :j:f:Yo ; jf lj efus] nflu **International Trachoma Initiatives (ITI), USA** af6 ; xofu :j?k kpfu ul/g]cdl/sl 8n/ @\$,\*%,%%=-@) -rfal; nfv krf;L xhf/ kfF ; o krkĖg, ; 06 al; \_ dNo a/fa/sf zithromax cf]fwl cfoft ubf{ Ps kl|tzt eĖ; f/ dxzh c; h u/L afĒL eĖ; f/ dx; h, dNo clej [4 s/ ; yfglo lj sf; zNs nufot s/ zNs k'}5b lbg]lg0f0 u/{f]h]of]; Ĥgf k\$fgz ul/Psf]5 .

**; Ĥgf-%**

gkfn ; /sf/n]; fdlos s/ c; h Pj, @)!@ sf]bkrf # cgtuĤ hf/L cfbzsf]bkrf @@ n]lbPsf]clwsf/ kpfu u/L lrlst; f lj 1fg /fli60 kl|ti7fg, jL/ c:ktfnn]tkl; ndf plNnvt pks/0fx? cfoft ubf{Ps kl|tzt eĖ; f/ dxzh c; h u/L afĒL eĖ; f/ dx; h tyf dNo clej [4 s/ k'}5b lbg]lg0f0 u/{f]h]of]; Ĥgf k\$fgz ul/Psf]5 M

l; -g+	; fdgsg]gfd	dNo
1.	Haemodialysis Machine	JPY 33,00,000/-
2.	Kidney Reprocessor Unit	US\$ 11,200/-

**; Ĥgf-^**

gkfn ; /sf/n]; fdlos s/ c; h Pj, @)!@ sf]bkrf # cgtuĤ hf/L cfbzsf]bkrf @@ n]lbPsf]clwsf/ kpfu u/L ckfĒ afn c:ktfn tyf kg:yfkgf s|b|gfdsf]u}; /sf/L ; :yfn]India af6 vl/b ug[ef=?=\$,^%,\*#%=) -rf/ nfv k}7L xhf/ cf7 ; o k}ĒL; \_ dNo a/fa/sf **POP BAND 15cm x 2.7mtr.** tyf ef=?=\$,^,)^)=) -rf/ nfv 5kĖg xhf/ ; f7L dNo a/fa/sf] **POP BAND 10cm x 2.7mtr. / POP BAND 7.5cm x 2.7mtr.** Sf pks/0fx?

cfoft ubf{Ps k|tzt eG; f/ dxzh c; h u/L afEL eG; f/ dx; h tyf dNo clej [4 s/  
k/}56 lbg]lg0f6 u/}fh]of]; Rgf k\$zgz ul/Psf]5 .

cf1fn]

-e]f/fh zdf{  
; x-; lrj

gkfn ; /sf/  
cy{dGqfnosf]  
; r'gf

gkfn ; /sf/n]; fdlos s/ c; h Pj, @)!@ sf]bkrf # cGtuġ hf/L cfb}zsf]  
bkrf @@ n] lbPsf] clwsf/ kofu u/L !% lbg; Ddsf] sv'/fsf] rNnf lgsf; L ubf{  
lgsf; L dx; h 5b lbg]lg0f6 u/\$fh]of]; r'gf k\$zgz ul/Psf]5 .

cf1fn]

-e}f/fh zdf{  
; x-; lrj

gkfn ; /sf/  
cy{dGqfnosf]  
; r'gf

gkfn ; /sf/n]; fdlos s/ c; h Pq, @)!@ sf]bkrf # cGtuġ hf/L cfbzsf]  
bkrf @@ n]lbPsf]clwsf/ kpfu u/L hgo4 / dwz cfGbf]hgsf zxlbsf cfl>t klt,  
kTgl, 5f]f / 5f]lsf]gfpġf :jfldTj kkt xg]u/L kfl/t xg]Invtdf nflg]/lhi6zg  
b:t/ k0f?kdf 5b lbg]lg0f6 u/}fh]of]; r'gf k\$zgz ul/Psf]5 .

cf1fn]

-e]f/fh zdf{  
; x-; lrj